09/890549

Facsimile No. (703) 305-3230

PATENT COOPERATION TREATY

PCT

REC'D 28 JUN 2001

INTERNATIONAL PRELIMINARY EXAMINATION REPURSO

PCT

(PCT Article 36 and Rule 70)

14

Applicant's or agent's file reference		
PF-0676PCT	FOR FURTHER ACTION	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)
International application No.	International filing date (day/n	month/year) Priority date (day/month/year)
PCT/US00/04160	18 FEBRUARY 2000	19 FEBRUARY 1999
International Patent Classification (IPC) Please See Supplemental Sheet.	or national classification and IP	PC
Applicant INCYTE PHARMACEUTICALS, INC		
Examining Authority and is a 2. This REPORT consists of a temporary to the authority and is a complete the amended and are the	transmitted to the applicant a total of sheets. coanied by ANNEXES, i.e., sheet to basis for this report and/or she tion 607 of the Administrative 1	ets of the description, claims and/or drawings which have leets containing rectifications made before this Authority.
3. This report contains indication	s relating to the following ite	tems:
I X Basis of the report II Priority III X Non-establishmen IV Lack of unity of it V X Reasoned statement citations and explain VI Certain documents of the company of the c	t of report with regard to not invention t under Article 35(2) with regard nations supporting such statem	ovelty, inventive step or industrial applicability gard to novelty, inventive step or industrial applicability; ment
Date of submission of the demand 31 AUGUST 2000		e of completion of this report
Name and mailing address of the IPEA/I Commissioner of Patents and Tradem Box PCT Washington, D.C. 20231	arks	CAREN COCHRANE CARLSON, PH.D.

			3	5
	4			J
·				
		<i>y</i>		

Basis of the report

International	annlication	·Νο
**************	apprication	

PCT/US00/04160

1. With	regar	d to the elements of the interna	tional application:*	
X		nternational application as	originally filed	
X		lescription: s1-67		as originally filed
		s NONE		
			, filed with the letter of	
	the	laims:		
X		s68-71		, as originally filed
			, as amended (together with any s	
		s NONE		•
	page	s NONE	, filed with the letter of	
(m)	tha d	rowings		
X		rawings: S NONE		as originally filed
		s NONE		
			, filed with the letter of	
				
X		equence listing part of the de	•	
		S 1-21 S NONE		, as originally filed , filed with the demand
	pages	NONE	, filed with the letter of	, med with the demand
	Pubu	·	,	
the i	interna se elen the la the la	tional application was filed, unerus were available or furnishinguage of a translation furninguage of publication of the translation furninguage of the tra	ents marked above were available or furnished to this Authories otherwise indicated under this item. ed to this Authority in the following language mished for the purposes of international search (under Rule 48.3(b)). ished for the purposes of international preliminary examples.	which is: nder Rule 23.1(b)).
	_	-	amino acid sequence disclosed in the international out on the basis of the sequence listing:	application, the international
X	conta	ined in the international ar	oplication in printed form.	
	filed	together with the internation	onal application in computer readable form.	
Ħ	furnis	shed subsequently to this A	authority in written form.	
H			authority in computer readable form.	
	The s		tly furnished written sequence listing does not go be	eyond the disclosure in the
	The s		recorded in computer readable form is identical to the	writen sequence listing has
4. X	The a	amendments have resulted	in the cancellation of:	
	X	the description, pages	NONE	
	X	the claims, Nos.	NONE	
	X	the drawings, sheets/fig	NONE	
5.	This 1		ome of) the amendments had not been made, since they	have been considered to go
لــا		•	ndicated in the Supplemental Box (Rule 70.2(c)).**	
in th	acemei	nt sheets which have been furni ort as "originally filed" and c	shed to the receiving Office in response to an invitation ware not annexed to this report since they do not conta	nder Article 14 are referred to ain amendments (Rules 70.16

٠	,	•
	•	,

International application No. PCT/US00/04160

III. N	n-establishment f opini n with regard to n velty, inventive step and industrial applicability
	questions whether the claimed invention appears to be novel, to involve an inventive step (to be non obvious), or to be strially applicable have not been and will not be examined in respect of:
	the entire international application.
X	claims Nos. <u>18, 19, 21, 22</u>
	because:
	the said international application, or the said claim Nos. relate to the following subject matter which does not require international preliminary examination (specify).
-	·
	the description, claims or drawings (indicate particular elements below) or said claims Nos. are so unclear that no meaningful opinion could be formed (specify).
	the claims, or said claims Nos are so inadequately supported by the description that no meaningful opinion could be formed.
X	no international search report has been established for said claims Nos. (See Attached).
	aningful international preliminary examination cannot be carried out due to the failure of the nucleotide and/or amino acid nee listing to comply with the standard provided for in Annex C of the Administrative Instructions:
	the written form has not been furnished or does not comply with the standard.
	the computer readable form has not been furnished or does not comply with the standard.

			 •
			٠
	v		
,å			

International application No.

PCT/US00/04160

V.	V. Reas ned statement under Article 35(2) with regard t n velty, inventive step or industrial applicability; citations and explanati ns supp rting such statement				
1.	statement				
	Novelty (N)	Claims	1-17, 20, 23 in part	YES	
		Claims	NONE	NO	
	Inventive Step (IS)	Claims	1-17, 20, 23 in part	YES	
		Claims	NONE	NO	
	Industrial Applicability (IA)	Claims	1-17, 20, 23 in part	YES	
		Claims	NONE	NO	
	teach or fairly suggest the claimed invention. Wh	the criteria : hile the Euro indication	set out in PCT Article 33(2)-(4), because the prior art does opean Search Authority has cited art that may anticipate or in the search report as to how or what parts of the claims a		

			•
			•

International application No. PCT/US00/04160

Supplemental Box

(To be used when the space in any of the preceding boxes is not sufficient)

Continuation of: Boxes I - VIII

Sheet 10

CLASSIFICATION:

The International Patent Classification (IPC) and/or the National classification are as listed below: IPC(7): C12N 15/12, 15/63; C07K 16/18; C12Q 1/68; A61K 38/17; A01K 67/27 and US C1.: 435/69.1, 320.1, 252.3, 325, 7.1; 530/350, 387.1

III. NON-ESTABLISHMENT OF REPORT:

No international search report has been established for claim numbers 18, 19, 21, 22, and 1-17, 20, and 23 in part .

	:		e (†)	 •
				4
	12			
		*		



PATENT COOPERATION TREAT

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference	FOR FURTHER see Notification of	of Transmittal of International Search Report
		220) as well as, where applicable, item 5 below.
PF-0676PCT International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)
PCT/US 00/04160	18/02/2000	19/02/1999
Applicant		
	-	
INCYTE PHARMACEUTICALS, INC	,,	
according to Article 18. A copy is being tra This International Search Report consists	of a total of7sheets.	
X It is also accompanied by	a copy of each prior art document cited in this	report.
Basis of the report		
a. With regard to the language, the i	nternational search was carried out on the bases otherwise indicated under this item.	sis of the international application in the
the international search was Authority (Rule 23.1(b)).	as carried out on the basis of a translation of th	ne international application furnished to this
 With regard to any nucleotide and was carried out on the basis of the 	I/or amino acid sequence disclosed in the in sequence listing:	ternational application, the international search
	nal application in written form.	
(X) filed together with the inter	rnational application in computer readable forn	n.
furnished subsequently to	this Authority in written form.	(
furnished subsequently to	this Authority in computer readble form.	
the statement that the sub international application as	sequently furnished written sequence listing do s filed has been furnished.	oes not go beyond the disclosure in the
the statement that the info furnished	rmation recorded in computer readable form is	s identical to the written sequence listing has been
2. X Certain claims were four	nd unsearchable (See Box I).	
3. X Unity of invention is lack	·	
4. With regard to the title,		
X the text is approved as sub		
the text has been establish	hed by this Authority to read as follows:	
5. With regard to the abstract,		
X the text is approved as sul	• • • • • • • • • • • • • • • • • • • •	
the text has been establish within one month from the	hed, according to Rule 38.2(b), by this Authorit date of mailing of this international search rep	y as it appears in Box III. The applicant may, ort, submit comments to this Authority.
6. The figure of the drawings to be publi	shed with the abstract is Figure No.	
as suggested by the applic	cant.	None of the figures.
because the applicant faile	ed to suggest a figure.	
because this figure better	characterizes the invention.	

		-		
	Na.			
		•		
,				
		22		í.
			٠.	

INTERNATIONAL SEARCH REPORT

International Application No PCT/US 00/04160

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 C12N15/12 C07K14/47 C07K16/18

C12Q1/68

C12N15/63 A61K38/17

C12N5/10

A01K67/027

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) I PC $\,\,7\,\,\,\,\,\,$ C07 K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Х	NAGASE ET AL: "PREDICTION OF THE CODING SEQUENCES OF UNIDENTIFIED HUMAN GENES. XI.THE COMPLETE SEQUENCES OF 100 NEW CDNA CLONES FROM BRAIN WHICH CODEFOR LARGE PROTEINS IN VITRO" DNA RESEARCH, vol. 5, 1998, pages 277-286, XP002926060 ISSN: 1340-2838	1-4,10, 11
Υ	Table 1 right column, line 12 abstract	1-17,20, 23
X	-& KOTANI ET AL.: "Homo spiens mRNA for KIAA0772 protein, complete cds." EMBL SEQUENCE DATABASE, 17 November 1998 (1998-11-17), XP002144842 HEIDELBERG DE Ac AB018315	1-4,10,
T	the whole document -& KOTANI ET AL.: "KIAA0772 protein" EMBL SEQUENCE DATABASE, -/	1-4,10,

	EMBL SEQUENCE DATABASE,	-/	11
X Furti	ner documents are listed in the continuation of box C.	X Patent family members are listed	in annex.
"A" docume consid "E" earlier of filing d "L" docume which citation "O" docume other r "P" docume	ent which may throw doubts on priority claim(s) or is cited to establish the publication date of another in or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or	"T" later document published after the inte or priority date and not in conflict with cited to understand the principle or the invention "X" document of particular relevance; the cannot be considered novel or cannot involve an inventive step when the do "Y" document of particular relevance; the cannot be considered to involve an involve	the application but early underlying the standard invention to be considered to cument is taken alone standard invention ventive step when the ore other such docusts to a person skilled
ļ	actual completion of the international search 4 August 2000	Date of mailing of the international sea 2 3. 11. 00	•
Name and n	nailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer CEDER 0.	

INTERNATIONAL SEARCH REPORT

International Application No PCT/US 00/04160

	lation) DOCUMENTS CONSIDERED TO BE RELEVANT	
tegory °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	1 November 1999 (1999-11-01), XP002144843 HEIDELBERG DE Ac Q9Y4B8 the whole document	
(CA 2 200 794 A (UNIV TORONTO) 24 September 1998 (1998-09-24) page 4, line 1 -page 11, line 28	1-17,20, 23
1	US 5 472 858 A (ATTIE ALAN D ET AL) 5 December 1995 (1995-12-05) abstract column 2, line 38 - line 50 column 2, line 65 - line 66	5-8,15, 16
<u> </u>	WO 00 09688 A (OHARA OSAMU ;NAGASE TAKAHIRO (JP); NOMURA NOBUO (JP); TOYODA HITOS) 24 February 2000 (2000-02-24) Seq Id Nos 1, 2 ,3	1-17,20, 23
	abstract -& DATABASE WPI Week 200019 Derwent Publications Ltd., London, GB; AN 2000-224333 XP002144844, 24 February 2000 (2000-02-24) abstract	1-17,20,
;		

÷	÷	



Box I	Observations where certain claims were found unsearchable (Continuation fitem 1 of first sheet)
This Inte	ernational Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
	see FURTHER INFORMATION sheet PCT/ISA/210
2. X	Claims Nos.: 18-19 21-22 because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically: see FURTHER INFORMATION sheet PCT/ISA/210
3.	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This Inte	ernational Searching Authority found multiple inventions in this international application, as follows:
1.	As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2.	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3.	As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. X	No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1-23 all partly
Remark	on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

	•		
,			

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

1. Claims: 1-23 all partly

Isolated polypeptide and nucleic acid sequences selected from the groups as defined in claims 1, 3 and 10 and their uses, where the sequences are SEQ ID NO 2 and 14.

2. Claims: 1-23 all partly

Isolated polypeptide and nucleic acid sequences selected from the groups as defined in claims 1, 3 and 10 and their uses, where the sequences are SEQ ID NO 3 and 15.

3. Claims: 1-23 all partly

Isolated polypeptide and nucleic acid sequences selected from the groups as defined in claims 1, 3 and 10 and their uses, where the sequences are SEQ ID NO 4 and 16.

4. Claims: 1-23 all partly

Isolated polypeptide and nucleic acid sequences selected from the groups as defined in claims 1, 3 and 10 and their uses, where the sequences are SEQ ID NO 6 and 18.

5. Claims: 1-23 all partly

Isolated polypeptide and nucleic acid sequences selected from the groups as defined in claims 1, 3 and 10 and their uses, where the sequences are SEQ ID NO 9 and 21.

6. Claims: 1-23 all partly

Isolated polypeptide and nucleic acid sequences selected from the groups as defined in claims 1, 3 and 10 and their uses, where the sequences are SEQ ID NO 10 and 22.

7. Claims: 1-23 all partly

Isolated polypeptide and nucleic acid sequences selected from the groups as defined in claims 1, 3 and 10 and their uses, where the sequences are SEQ ID NO 11 and 23.

8. Claims: 1-23 all partly

Isolated polypeptide and nucleic acid sequences selected from the groups as defined in claims 1, 3 and 10 and their uses, where the sequences are SEQ ID NO 12 and 24.

		,

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

9. Claims: 1-23 all partly

Isolated nucleic acid sequence selected from the groups as defined in claims 3 and 10 and its use, where the sequence is SEQ ID NO 13.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.1

Although claim 16 is directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.

Continuation of Box I.1

Rule 39.1(iv) PCT - Method for treatment of the human or animal body by therapy

Continuation of Box I.2

Claims Nos.: 18-19 21-22

Claims 18, 19, 21 22 refer to agonists/antagonists of the polypeptide of claim 1, identified by the methods of claims 17 and 20, respectivly, without giving a true technical characterization. Moreover, no such compounds are specifically defined in the description. It is only indicated that they could be "proteins, antibodies, carbohydrates, small molecules, or any other compound or composition which modulates the activity of LIPAP" (page 8 line 1-2 and page9 line 1-2). in consequence the scope of said claims is ambigous and vague, and their subject-matter is not sufficiently disclosed and supported (Art 5 and 6 PCT). No search can be carried out for such claims whose wordings is, in fact, a mere recitation of the results to be achieved.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

		į.	
		÷	
	•		
•,			

INTERNATIONAL SEARCH REPORT

rmation on patent family members

International Application No
PCT/US 00/04160

	nt document n search report		Publication date	Patent family member(s)	Publication date
CA 2	200794	Α	24-09-1998	NONE	
US 5	472858	Α	05-12-1995	NONE	
WO 0	009688	Α	24-02-2000	JP 2000050878 A AU 5196799 A	22-02-2000 06-03-2000

世界知的所有権機関国際事務局

特許協力条約に基づいて公開された国際出願

(51) 国際特許分類6 C12N 15/12, C07K 14/47

A1

(11) 国際公開番号

WO00/09688

(43) 国際公開日

2000年2月24日(24.02.00)

(21) 国際出願番号

PCT/JP99/04353

(22) 国際出願日

1999年8月11日(11.08.99)

(30) 優先権データ

特願平10/227718

1998年8月12日(12.08.98)

(71) 出願人 (米国を除くすべての指定国について)

財団法人 かずさディー・エヌ・エー研究所

(KAZUSA DNA RESEARCH INSTITUTE FOUNDATION)[JP/JP]

〒292-0812 千葉県木更津市矢那1532番3号 Chiba, (JP)

大正製薬株式会社

(TAISHO PHARMACEUTICAL CO., LTD.)[JP/JP]

〒170-8633 東京都豊島区高田3丁目24番1号 Tokyo, (JP)

(72) 発明者;および

(75) 発明者/出願人(米国についてのみ)

小原 收(OHARA, Osamu)[JP/JP]

長瀬隆弘(NAGASE, Takahiro)[JP/JP]

野村信夫(NOMURA, Nobuo)[JP/JP]

〒292-0812 千葉県木更津市矢那1532番3号

財団法人 かずさディー・エヌ・エー研究所内 Chiba, (JP)

高山喜好(TAKAYAMA, Kiyoshi)[JP/JP]

豊田 均(TOYODA, Hitoshi)[JP/JP]

吉本 真(YOSHIMOTO, Makoto)[JP/JP]

〒170-8633 東京都豊島区高田3丁目24番1号

大正製薬株式会社内 Tokyo, (JP)

(74) 代理人

弁理士 北川富造(KITAGAWA, Tomizo) 〒170-8633 東京都豊島区高田3丁目24番1号

大正製薬株式会社 特許部 Tokyo, (JP)

(81) 指定国 AU, CA, CN, KR, US, 欧州特許 (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE)

添付公開書類


国際調査報告書

(54) Title: NOVEL GENE AND PROTEIN OSBH ENCODED THEREBY

(54)発明の名称 新規遺伝子及びそれにコードされる蛋白質OSBH

(57) Abstract

To provide a novel protein having an activity of binding to oxysterol. A gene osbh which encodes a novel protein OSBH having an activity of binding to oxysterol is obtained by cloning from a human brain-derived cDNA library. By culturing a transformant constructed by using an expression vector containing the above gene, OSBH can be obtained. This protein is usable as an OS-binding protein in drugs or for developing drugs.



(57)要約

目的

オキシステロールとの結合活性を有する新規蛋白質を提供する。

構成

ヒト脳由来のcDNAライブラリーからのクローニングによって、オキシステロール結合活性を有する新規蛋白質OSBHをコードする遺伝子osbhが得られ、該遺伝子を有する発現ベクターによる形質転換体の培養により、OSBHが得られる。該蛋白質はOS結合蛋白質として、医薬又は医薬の開発に用いることができる。

PCTに基づいて公開される国際出願のパンフレット第一頁に掲載されたPCT加盟国を同定するために使用されるコード(参考情報)

DM ドミニカ EE エストン ES スペインラン FR フラブン GA ガギワ A L A.M AT AU AZ FFGGGGGGG 英国 グレナダ グルジア BA BB BE BF BG BR BR GN GR GR HU C F C C H C C M ID スイス コートジボアール カメルーン カート 中国 コスタ・リカ キューバ キブロス CNCCY ケニア キルギスタン KE

明細書

新規遺伝子及びそれにコードされる蛋白質OSBH

技術分野

本発明は、オキシステロール結合活性を有する、<u>脳</u>由来の新規蛋白質OSBH、 該蛋白質をコードする遺伝子osbhに関するものである。

背景技術

心筋梗塞、脳梗塞の主要な原因は、粥状の硬化巣が動脈壁に形成されることによる血管の閉塞である。この動脈硬化発症の初期段階では、変成したLDL(低密度リポプロテイン)が重要な働きをする。すなわち、正常LDLが血管内皮下に浸潤して酸化あるいは糖化され変成LDLとなると、単球は血流より浸潤してマクロファージに分化してこれら変成LDLを貪食し、その細胞内に脂質をため込みいわゆる泡沫化する。このマクロファージの泡沫化が動脈硬化発症の引き金となる。

酸化による変性LDL中には様々な酸化脂質が含まれる。特にコレステロールが酸化したオキシステロール(以下OS)は多彩な生理活性を有し、動脈硬化進展に影響を与える。OSは、マクロファージや血管平滑筋細胞に対しアポトーシスを誘導し、不安定な硬化巣を形成する。また、acyl-CoA: Cholesterol acyltransferase(ACAT)を活性化することにより、コレステロールの細胞内の蓄積を促進させ、コレステロールの細胞外への放出を阻害する。

OSは脂溶性が高いために細胞内では遊離状態で存在出来ず、特別な蛋白質と結合してその生理活性を発現している。これまでに、この結合活性を有する蛋白質として、OS結合蛋白質(OxySterol Binding Protein、以下OSBPとする)が報告されている。

しかし、このOSBPはOSの有する全ての生理活性の発現に関与するものではなく、OSBP以外のOS結合性蛋白質の存在も含め、OSの詳細な機能発現機構に関しては不明な点が多い。そのため、OSBPとは異なる分子であって、OSとの結合能を有し、OSの多彩な生理活性発現に関わる新たな分子を明らか

にすることにより、かかる生体分子を直接的に医薬として使用し、又は間接的に 医薬化合物の探索に供することが可能となると推察される。

本発明は、この様な分子を同定し、医薬等または医薬等の開発に利用することにある。

発明の開示

本発明者らは、ヒト全脳で発現している遺伝子の中から、所望の蛋白質を把握するべく鋭意研究の結果、新規蛋白質OSBH (OxySterol Binding protein Homolog)の存在と、これをコードする遺伝子osbhの単離に成功し、本発明を完成するに至った。

即ち、本発明は、(a) 配列番号: 1 に記載のアミノ酸配列からなる蛋白質、または(b) 配列番号: 1 のアミノ酸配列において1 もしくは数個のアミノ酸が欠失、置換もしくは付加されたアミノ酸配列からなり、かつOS結合活性を有する蛋白質に関するものである。さらに本発明は、(c) 配列番号: 2 に記載のDNAからなる遺伝子、または、(d) 配列番号: 2 のDNAとストリンジェントな条件でハイブリダイズし、かつOS結合活性を有する蛋白質をコードするDNAからなる遺伝子に関するものである。

本発明の遺伝子であるosbhは、ヒト脳由来のcDNAライブラリーから、 該遺伝子を含んだcDNA断片として単離することができる。本発明者らが使用 したcDNAライブラリーは、クローンテック社から市販されているヒト脳から 抽出したmRNAをもとに調製したものである

上述のcDNAライブラリーにおいて、OS結合活性を有する蛋白質をコードするcDNAを識別する方法として、小原らの方法(DNA Research、Vol. 4、p53、1997)による、長鎖cDNAライブラリーを用いた網羅的cDNAライブラリーの解析を用いた。小原らの方法で作製した、ヒト脳由来の長鎖cDNAライブラリーから無作為に25、000個の組換え体を選択し、15、000クローンのcDNA部分の5、側ならびに3、側の塩基配列を決定し、全クローンの5、側の配列から既に報告されているOSBPをコードする遺伝子と相同性のあるクローンを、DNA解析プログラム(BLAST並びにFastA)を用いることで見出す事が

出来る。

塩基配列中の蛋白質をコードする領域(ORF、open reading frame)の存在は、塩基配列をコンピュータープログラムを用いて解析する汎用の方法により確認することができる。該 c DNA配列の中に目的とする遺伝子の存在を確信した本発明者らは、コンピューターを利用して該配列中に一つのORFを見いだし、この遺伝子を o s b h、該遺伝子にコードされる蛋白質をOSBHと命名した。本発明であるOSBHは、全468アミノ酸残基からなる分子量約50キロダルトン(k D a)の蛋白質である。

osbhは、配列番号:2に示される塩基対1407残基からなる遺伝子であ る。このosbhを用い、適当な宿主ベクター系による一般的な遺伝子組み換え 技術によって、組み換え遺伝子を調製することができる。適当なベクターとして は、大腸菌由来のプラスミド(例、pBR322、pUC118その他)、枯草 菌由来のプラスミド(例、pUB110、pC194その他)、酵母由来のプラ スミド(例、pSH19その他)、さらにバクテリオファージやレトロウィルス やワクシニアウィルス等の動物ウィルス等が利用できる。組み換えに際しては、 適当な合成DNAアダプターを用いて翻訳開始コドンや翻訳終止コドンを付加す ることも可能である。さらに該遺伝子を発現させるために、遺伝子の上流に適当 な発現プロモーターを接続する。使用するプロモーターは、宿主に応じて適宜選 択すればよい。例えば、宿主が大腸菌である場合には、T7プロモーター、1a c プロモーター、trpプロモーター、λPLプロモーターなどが、宿主がバチ ルス属菌である場合にはSPO系プロモーター等が、宿主が酵母である場合には PHO5プロモーター、GAPプロモーター、ADHプロモーター等が、宿主が 動物細胞である場合にはSV40由来プロモーター、レトロウィルスプロモータ 一等が、それぞれ使用できる。

また該遺伝子を他の蛋白質(例、グルタチオンSトランスフェラーゼ、プロテインAその他)との融合蛋白質として発現させることも可能である。このようにして発現させた融合型OSBHは、適当なプロテアーゼ(例、トロンビンその他)を用いて切り出すことが可能である。

OSBHの発現の際に利用できる宿主としては、エシェリヒア属菌であるEsch

erichia coli の各種菌株、バチルス属菌であるBacillus subtilis の各種菌株、酵母としてはSaccharomyces cerevisiae の各種菌株、動物細胞としてはCOS-7 細胞、CHO細胞等が利用できる。

上記組み換えベクターを用いて宿主細胞を形質転換する方法としては、常法または各宿主細胞に対して一般に用いられる形質転換方法が適用できる。

尚、本発明においては、配列番号:2に示したDNA配列の他に、該DNAと ハイブリダイズしかつOS結合活性を有する蛋白質をコードするDNAも、本発 明の範囲内である。

すなわち、osbhの全長配列において、種々の人為的処理、例えば部位特異的変異導入、変異剤処理によるランダム変異、制限酵素切断によるDNA断片の変異・欠失・連結等により、部分的にDNA配列が変化したものであっても、これらDNA変異体がosbhとストリンジェントな条件下でハイブリダイズし、かつOS結合活性を有する蛋白質をコードするDNAであれば、配列番号:2に示したDNA配列との相違に関わらず、本発明の範囲内のものである。

上記のDNA変異の程度は、osbhのDNA配列と90%以上の相同性を有するものであれば許容範囲内である。また、osbhとハイブリダイズする程度としては、通常の条件下、例えばDIG DNA Labeling kit(ベーリンガー・マンハイム社製Cat No.1175033)でプローブをラベルした場合に、32℃のDIG Easy H yb溶液(ベーリンガー・マンハイム社製Cat No.1603558)中でハイブリダイズさせ、50℃の0.5×SSC溶液(0.1% [w/v] SDSを含む)中でメンブレンを洗浄する条件(1×SSCは0.15M NaC1、0.015M クエン酸ナトリウムである)でのサザンハイブリダイゼーションで、osbhにハイブリダイズする程度であればよい。

また、上記のごとくosbhと相同性の高い変異体遺伝子にコードされる蛋白質であって、OS結合活性を有する蛋白質もまた、本発明の範囲内のものである。

すなわち、OSBHのアミノ酸配列の1もしくは複数個のアミノ酸が欠失、置換もしくは付加された変異体であっても、該変異体がOS結合活性を有する蛋白質であれば、該変異体は本発明の範囲内のものである。

蛋白質の構成要素となるアミノ酸の側鎖は、疎水性、電荷、大きさなどにおい

てそれぞれ異なるものであるが、実質的に蛋白質全体の 3 次元構造(立体構造とも言う)に影響を与えないという意味で保存性の高い幾つかの関係が、経験的にまた物理化学的な実測により知られている。例えば、アミノ酸残基の置換については、グリシン(Gly)とプロリン(Pro)、Glyとアラニン(Ala)またはバリン(Val)、ロイシン(Leu)とイソロイシン(Ile)、グルタミン酸(Glu)とグルタミン(Gln)、アスパラギン酸(Asp)とアスパラギン(Asn)、システイン(Cys)とスレオニン(Thr)、Threとセリン(Ser)またはAla、リジン(Lys)とアルギニン(Arg)、等が挙げられる。

従って、配列番号:1に示したOSBHのアミノ酸配列上の置換、挿入、欠失等による変異蛋白質であっても、その変異がOSBHの3次元構造において保存性が高い変異であって、その変異蛋白質がOSBHと同様にOS結合活性を有する蛋白質であれば、これらは本発明の範囲内にあるものと言うことができる。変異の程度としては、配列番号:1に示したアミノ酸配列との相同性が90%以上のものが許容し得る範囲である。

産業上の利用可能性

OSBHはOS結合活性を有していることから、osbhの発現異常あるいは OSBHの機能不全は、動脈硬化進展に重大な影響を及ぼすと推測される。

従って、動脈硬化治療薬を目的として、osbhやOSBHを用いることにより、OSBHの機能と同様の機能を有する物質や当該機能を促進する物質あるいは阻害する物質、あるいは遺伝子の発現を促進或いは抑制する物質等の探索、評価を効率よく行うことができる。

発明を実施するための最良の形態

以下実施例を挙げて詳述するが、本発明はこの実施例に限定されないことは言うまでもない。尚、特に断らない限り、下記実施例において使用した実験操作は、Molecular Cloning 2nd. ed. (Cold Spring Harbor Lab. Press、1989) に代表される各種の標準的実験書や、市販キットの取扱説明書の記載、また制限酵素等の各

市販製品に対する推奨条件下で行うことができる。

実施例1 osbhのクローニング

1) ヒト脳由来の長鎖 c DNAライブラリーの構築

Not Iサイトを有するオリゴヌクレオチド(GACTAGTTCTAGATCGCGAGCGGCCGCCC (T) $_{15}$)をDNA合成機(ABI380B)で合成した。これをプライマーとして、ヒト脳由来のmRNA(クローンテック社)を鋳型にSuperScript II逆転転写酵素キット(ギブコBRL社)で2本鎖cDNAを合成した。この2本鎖cDNAと、SalI サイトを有するアダプター(宝酒造)とをライゲーションした後Not Iで消化し、1%濃度の低融解アガロース電気泳動により、3kb以上のcDNA断片を精製した。

精製 c D N A 断片を、Sall - Not I 制限酵素処理を施したpBluescript IISK+ プラスミドとライゲーションした。大腸菌 $ElectroMax\ DH10B$ 株(ギブコBRL社) に、エレクトロポーレーション法により組み換えプラスミドを導入した。

次いで、当該ライブラリーから無作為に25,000個の組換え体を選択し、 組換えDNAを抽出し、15,000クローンのcDNA部分の5'側ならびに 3'側の塩基配列を決定した。配列決定にはPEアプライドバイオシステムズ社 製のDNAシークエンサー(ABI PRISM377)と同社製反応キットを用いた。

- 2) osbhの配列を含むクローンの選別
- 1) で決定した全クローンの5'側の配列を既に報告されているosbpとDNA解析プログラム(BLAST並びにFastA)を用いて比較したところ、クローン名HK05119が有為な相同性を示した。
- 3) DNA断片の塩基配列の決定

塩基配列決定にはPEアプライドバイオシステムズ社製のDNAシークエンサーを用い、ダイプライマー法を用いた。大部分の配列はショットガン法で、一部の塩基配列については、決定した塩基配列を元にしてオリゴヌクレオチドを合成し、プライマーウォーキング法で両鎖の全塩基配列を決定した。当該クローンのcDNAの全塩基配列を配列番号3に示す。

当該 c D N A は 4 6 8 残基より成る蛋白質 (O S B H) をコードする O R F を 含んでいる (配列番号:3)。該蛋白質の開始コドンであるメチオニン残基の上

流域に同じreading frameで終止コドンが出現したことから、当該 c DNA断片がコードする蛋白質のアミノ酸配列は、配列番号: 3 に示したものが唯一のものであることが確認された。

既に報告されているOSBPと本発明であるOSBHのアミノ酸の相同性を第 1 図に示す。両者は高い相同性を示し、特にOSBHの162残基から172残基はOSを結合する蛋白質が共通に保有する重要な領域であると推察される。 実施例2 osbhのin vitroトランスレーション法による蛋白質発現の確認 実施例1で調製したしたosbhを含むプラスミドをRNaseAで処理後、ADVAMAXビーズ(AGTC社製)でRNaseAを除去して、(35S)メチオニン存在下でTNT T7 coupled reticulocyte lysateシステム(プロメガ社)を用いてin vitroトランスレーションを実施した。反応液の一部をSDSーポリアクリルアミドゲル電気泳動法 (SDS-PAGE)により分離して、BAS-2000(富士写真工)で解析した。その結果、第2図に示すように約50kDaの位置に主要なバンドを確認した。

実施例3 動物細胞発現用ベクターの構築

1) ORFを含むcDNAの増幅

配列番号:3の該蛋白質の開始コドンより上流の配列を有するオリゴヌクレオチド(下記の配列-1)と、該蛋白質の終止コドンより下流の一部分と逆相補鎖と配列を有するオリゴヌクレオチド(下記の配列-2)をDNA合成機(ABI社製380B)で合成した。

配列-1 5'-GGCAGTGGAGGCTGGCTGAAGG-3'

配列 — 2 5'-TCTGCTGTGACGAGGCTCACAATGG-3'

実施例1で単離した配列番号:3を含む組み換えcDNAを鋳型とし、配列-1のオリゴヌクレオチドと配列-2のオリゴヌクレオチドをプライマーとし、タカラLA PCR Kit Ver.2とPCRサーマルサイクラーMP(いずれも宝酒造製)を用いて、以下のPCR操作を行った。

cDNA $5 \mu l (10 ng)$

10×PCRバッファー(25mM Mg⁺⁺を含む) 5μl

2. 5 mM dNTP $8 \mu l$

10μM 配列-1	2μ 1
10µM 配列-2	$2~\mu$ l
水	27. 5 μ Ι
LA Tagポリメラーゼ	0. 5 μ 1
総量	50 μl

PCRサイクルは、94℃で2分保持後、98℃で20秒間反応させ、68℃ まで-1℃/2秒の速度で冷却し、68℃で3分保持し、更に72℃で10分間保持を30回繰り返して行った。

上記方法により、配列番号:3の一部を有するDNA断片(約1.5kb)を増幅させた。

- 2) 動物細胞用発現ベクターへのサブクローニング
- 1) で増幅したDNA断片を、1%アガロースゲル電気泳動で分画した。ゲルをエチジウムブロマイドで染色した後、紫外光照射して目的とするバンドを含むゲルを切り出した。アガロースゲルからのDNA断片の抽出と精製は、GENECLEAN II Kit (バイオ101社製)を用いて行った。

この抽出精製したDNA断片を、動物細胞用発現用ベクターpTARGET(プロメガ社製)にサブクローニングした。Ligation溶液はタカラDNA Ligation Kit Ver. 2 (宝酒造製)を用い、以下の組成で16℃で1.5時間反応させた。

抽出精製したDNA断片	1μ l (50ng)
pTARGET	$1\mu l (10 {\rm ng})$
水	3μ l
Ligation溶液	5μ1
総量	10μ1

上記反応後の溶液を用いて、大腸菌K 1 2 株 D H 5 の形質転換を行った。形質転換体をアンピシリン(Amp) 5 0 μ g / m l、5-Bromo-4-Chloro-3-indoly! - β -D-galactoside(X - g a l) 4 0 μ g / m l、Isopropyl- β -D-Thio-Galactopyranoside(I P T G) 1 0 0 μ Mを含有するL B寒天培地にプレーティングし、3 7 $\mathbb C$ で一晩培養した。

上記プレートに出現したコロニーを50μg/mlのAmpを含むLB液体培

地10mlに接種して37℃で一晩培養し、遠心分離によって菌体を集めた後、QIAprep Spin Plasmid Miniprep Kit (キアゲン社製) で組換えDNAを精製し、pTARGETosbhを得た。

3) 導入 c D N A の塩基配列の決定

塩基配列決定にはDNAシークエンサー(ABI社製PRISM377)を用い、ダイターミネーター法を用い、プライマーウオーキング法で両鎖の全塩基配列を決定した。 当該クローンは配列番号:3の配列のうち、配列-1及び配列-2に挟まれるすべての領域を含んでいたことから、目的とする遺伝子pTARGETosbhがクローニングされたことを確認した。

実施例4 СНОк 1細胞への導入と安定な形質転換体の取得

実施例2で取得したpTARGETosbhはosbhはosbhはosbhはの上流にCMVプロモーターを有しており、当該組換えDNAを動物細胞中に導入すれば、OSBHを発現させることが可能である。

CHOk 1 細胞を直径 6 0 mmのプラスチックシャーレで培養した。培地としては 10% 牛胎児血清(大日本製薬)、50 ユニット/m 1 ペニシリン、50 μ g /m 1 ストレプトマイシンを含むHamF-12(ギブコ社製、以下増殖培地とする)を使用し、37%、5% CO 2 存在下で培養した。細胞密度が 50% になった時点で、実施例 -2 で取得したpTARGETosbhを含むLIPOFECTAMINE試薬(ギブコ社製)を、細胞上に重層して 6 時間培養した後、増殖培地に置換して 4 8 時間培養した。トリプシンで細胞を分散した後、細胞懸濁液を直径 6 0 mmのプラスチックシャーレに分注してさらに 2 4 時間培養した。培地を除いた後、6418試薬(ギブコ社製;終濃度 5 0 0 μ g /m 1)を含有する増殖培地に置換した。6418試薬(B添加培地を 3 日毎に交換してして 2 週間培養した。細胞のコロニーが肉眼で確認できるようになった時点で、ステンレスカップを用いてコロニーを 3 個単離した。対照として用いるために 2 C HO 2 に対しては、対別として用いるために 2 のみを上記と同様にして導入し、安定な形質転換体を単離した。

単離した各形質転換体を、6穴のプレートでG418添加培地(終濃度500μg/ml)で培養し、細胞密度が再度80%コンフルエントになった時点で培地を除去し、PBSを添加し洗浄後、Trizol(ギブコ社製)を用いて細胞からtotalR

NAを精製した。 2μ gの全RNA鋳型に、Superscript 逆転転写酵素(ギブコ 社製)を用いて c DNAを合成した。

合成した c DNAを鋳型に、実施例 2-1)と同じオリゴヌクレオチド(配列 -1、配列 -2)を用いて、P CR 反応を実施した。

cDNA	5μ l (100ng)
10×PCRバッファー(25mM Mg ⁺⁺ を含む)	5μ1
2. 5mM dNTP	8μ1
10µM 配列-1	$2 \mu 1$
10µM 配列-2	$2 \mu 1$
水	27. 5 μ l
LA Tagポリメラ・セ・	0. 5 μ Ι
総量	50 μ Ι

PCRサイクルは、94℃で2分保持後、98℃で20秒間反応させ、68℃ まで-1℃/2秒の速度で冷却し、68℃で3分保持し、更に72℃で10分間保持を30回繰り返して行った。

増幅したDNA断片を、1%アガロースゲル電気泳動で分画し、エチジウムブロマイドで染色した後、紫外光照射して目的とするバンドが増幅されるか否か調べた。

その結果、pTARGETosbhを導入したCHOk1細胞でのみ、目的のバンドが増幅 され、コントロールベクターを導入したCHOk1細胞では、増幅は確認できな かった。

実施例5 osbh導入СНОk1のオキシステロール結合活性

を洗浄後、 取り込まれた放射活性を測定した。その結果、統計学的に有意に、osbhを導入したCHOk1では、コントロール細胞と比較してOS結合活性が高い値を示した。

図面の簡単な説明

第1図は、OSBPと、本発明であるOSBHとのアミノ酸配列の相同性の比較を示す。

第2図は、osbhを用いてin vitroトランスレーション法により発現させた OSBHのSDS-PAGEの結果を示す。

請求の範囲


- 1. 以下の(a) または(b) の蛋白質;
 - (a) 配列番号:1に記載のアミノ酸配列からなる蛋白質;
 - (b) 配列番号:1のアミノ酸配列において1もしくは数個のアミノ酸が欠失、 置換もしくは付加されたアミノ酸配列からなり、かつオキシステロール 結合活性を有する蛋白質。
- 2. 以下の(a) または(b) のDNA
 - (a) 配列番号:2に記載の塩基配列からなるDNA
 - (b) 配列番号:2のDNAとストリンジェントな条件でハイブリダイズし、 かつオキシステロール結合活性を有する蛋白質をコードするDNA。

第1回

OSBII OSBH OSBH OSBP OSB В m 8 0.8

	第 1	回	
260 270 280 290 300 300 310 320 330 330 330 330 330 330 330 330 33	340 350 400 H VADDVPVAQETVQVIPGSKLLWRINTRPPNSAQNYNFTSFTVSLNELETGMEKTLPPTDCRLRPDIRGMENGNMD	410 420 430 BH LASQEKERLEEKQREARRERAKEEAEWQTRWFYPGNNPYTGTPDWLYAGDYFERNFSDCPD : : : : : : : : : : :	468 BII 1 Y I : 1 T
3 S B) S B	0 S E	800

第2回



配 列 表

SEQUENCE LISTING

<110> TAISHO PHARMACEUTICAL CO., Ltd.

<120> Oxysterol Binding Protein Homolog

(130) P486

<150> JP10-227718

<151> 1998-08-12

<160> 3

<210> 1

<211> 468

<212> PRT

<213> Homo sapience

(400) 1

Met	Asn	Gly	Glu		Glu	Phe	P h e	Asp	Ala	V a l	Thr	Giu	Ala	
				5					10					15
Gln	Lys	Val	Thr	Gly	Met	He	Asp	Leu	Asp	Thr	Ser	Lys	Asn	Asn
				20					25					30
Arg	Ile	Gly	Lys	Thr	Gly	Glu	Arg	Pro	Ser	Gln	Glu	Asn	Gly	Ile
				35					40					4 5
Gln	Lys	His	Arg	Thr	Ser	Leu	Pro	Ala	Pro	Met	Phe	Ser	Arg	Ser
				50					5 5					60
Asp	Phe	Ser	Val	Trp	Thr	lle	Leu	Lуs	Lys	Суs	Val	Gly	Leu	Glu
				65					70					75
Leu	Ser	Lys	Ile	Thr	Met	Pro	Ile	Ala	Phe	Asn	Glu	Pro	Leu	Ser
				80					85					90
Phe	Leu	Gln	Arg	I I e	Th r	Glu	Туr	Met	Glu	His	Val	Туr	Leu	Ile
				95					100					105
His	Arg	Ala	Ser	Cys	Gln	Pro	Gln	Pro	Leu	Glu	Arg	Met	Gln	Ser
				110					115					120
V a i	Ala	Ala	Phe	Ala	V a l	Ser	Ala	V a l	Ala	Ser	Gln	Trp	Glu	Arg
				125					130					135
Thr	Gly	Lys	Pro	P h e	Asn	Pro	Leu	Leu	Gly	Glu	Thr	Туг	Glu	Leu
				140					145					150
He	Arg	Glu	Asp	Leu	Gly	Phe	Arg	Phe	lle	Ser	Glu	Gln	Val	Ser
				155					160					165

His	His	Pro	Pro		Ser	Ala	Phe	His		Glu	Gly	Leu	Asn	
				170		_		_	175				D.I	180
Asp	Phe	Leu	Phe		Gly	Ser	116	lyr		Lys	Leu	Lys	rne	
				185			_		190					195
Gly	Lys	Ser	V a !		Ala	Glu	Pro	Arg		Thr	11e	lhr	Leu	
				200			_		205					210
Leu	Leu	Lys	His		Glu	Ala	Туг	Thr		Thr	Asn	Рго	Thr	
				215					220					225
Суs	V a l	His	Asn		Ile	Ile	Gly	Lys		Trp	He	Glu	GIn	
				230					235			_		240
Gly	Thr	Val	Glu		Leu	Asn	His	Arg		Gly	Hıs	Lys	Cys	
				245			_		250	_	٠.			255
Leu	His	Phe	Lys		Суs	Giy	Leu	Phe		Lys	Glu	Leu	HIS	
				260	٠,				265				D.I	270
Val	Glu	Gly	His		Gln	Asp	Lys	Asn		Lys	Lys	Leu	Pne	
	_	٥.		275	m t	C 1	C	T	280	C 1	11.	A = ==	D = 0	285
He	Tyr	Gly	Lys		Thr	GIU	Cys	ren		GIY	116	ASD	rro	
	T	0.1	0	290	T	T	C 1	C 1	295	A	C 1	4	11:0	300
Ser	lyr	Glu	2 e r		Lys	Lys	GII	GIU	310	Arg	GIY	АЗР	піз	Leu 315
.	T	41.	I	305	Asp	C 1	400	S o r		Luc	4 l a	1 c n	Sar	
Arg	Lys	Ala	Lys	320	изр	GIU	АЗР	361	325	гуз	на	кър	261	330
Val	Ala	Ann	Acn		Pro	Val	Δla	Cln		Thr	V a l	Cln	Val	Ile
Vai	Ald	изр	кзр	335	110	141	ліа	UIII	340	1 11 1	141	0111	,	345
Pro	Clv	Ser	Ive		Leu	Trn	Arσ	lle		Thr	Arg	Pro	Pro	
110	01,	501	Ljo	350	200	,	6		355		0			360
Ser	Ala	Gìn	Met		Asn	Phe	Thr	Ser		Thr	Val	Ser	Leu	Asn
				365					370					375
Glu	Leu	Glu	Thr		Met	Glu	Lys	Thr	Leu	Pro	Pro	Thr	Asp	Суs
				380					385					390
Arg	Leu	Arg	Pro	Asp	Ile	Arg	Gly	Met	Glu	Asn	Gly	Asn	Met	Asp
				395					400					405
Leu	Ala	Ser	Gln	Glu	Lys	Glu	Arg	Leu	Glu	Glu	Lys	Gln	Arg	Glu
				410					415					420
Ala	Arg	Arg	Glu	Arg	Ala	Lys	Glu	Glu	Ala	Glu	Trp	Gln	Thr	Arg
				425					430					435
Trp	Phe	Туг	Pro	Gly	Asn	Asn	Pro	Туг	Thr	Gly	Thr	Pro	Asp	Trp
				440					4 4 5					450
Leu	Туг	Ala	Gly	Asp	Туг	Phe	Glu	Arg	Asn	Phe	Ser	Asp	Cys	Pro
				455					460					465
Asp	He	Туг												
		468												

468

<211> 1407

<212> DNA

<213> Homo sapience

<400> 2

50 60 10 20 30 40 60 atgaacggag aggaagaatt ciilgalgcc gicacagagg caaatcagaa agicacggga aigailgaci lagacaccag caaaaalaal aggallggga aaaclgggga gaggcctct 120 180 caagagaacg gaattcagaa acacaggaca tcgctgccgg ctcccatgit cagcagaagc gacticageg igiggaceal celgaagaag igigiiggee iggageigie caagaicaeg 240 300 atgccaatcg cottcaacga gcctctgago ttottgcago ggatcacgga gtacatggag 360 cacgigiacc icaiccacag ggcciccigc cagccccagc ccciggagag gaigcagici 420 giggcigcii tigcigiitc ggcigiggci icccagiggg agaggaccgg caaaccalit 480 aatccactci igggagaaac gtaigaatta atcagggaag attiaggatt cagaittata teggaacagg teagteacea ecceeccate agtgegitee acteggaagg teleaaceat 540 gacticcigi iccaiggete caictaccee aageteaagi iciggggeaa aagegiggag 600 660 geggageece gaggeaceat caecetggag eigeteaaae ataatgaage etacaeetgg 720 accaacccca ccigcigcgi ccacaacgic alcaicggga agcigiggai agagcagiai 780 gggacagigg agaitttaaa ccacagaact ggacataagt gtgtgcttca ctttaaaccg 840 tgtggattat ttggaaaaga acttcacaag gtggaaggac acattcaaga caaaaacaaa aagaagetet ttatgateta iggeaaaigg aeggaaigti igiggggeat agateelgit togtatgaat cottoaagaa goaggagagg agaggtgaco acctgagaaa ggccaagctg 960 gatgaagact ccgggaaggc tgacagcgac gtggctgacg acgtgcctgt ggcccaggag 1020 accetegage teatteete cagcaagete ctctegage teaacacce eccecaae 1080 telgeceaga igiataatti caccagtite aetgigagee teaacgaget ggagacagge 1140

atggagaaga ccctgccacc cacggactgc cgcctgcgcc ctgacatccg cggcatggag 1200
aatggcaaca tggatctggc cagccaggag aaggagcggc tggaggagaa gcagagagaa 1260
gcacggaggg agcgggccaa ggaggaggca gagtggcaga cgaggtggtt ctacccaggc 1320
aataacccct acactgggac ccccgactgg ttgtatgcag gggattactt tgagcggaat 1380
ttctccgact gcccagatat ctactga 1407

<210> 3
<211> 3879
<212> DNA
<213> Homo sapience
<400> 3

95

ccgagggacc cgcgtccaga tcttcagtgt ctattggatt tttccaagag aaagtttgta 60 aaatteetta cacigtagat giggateaga tacgatgatt cagtagaaga geacatgtea 120 ggggcagigg aggciggcig cigaagg 147 atg aac gga gag gaa gaa tic tit gat gcc gtc aca gag gca aat 192 Met Asn Gly Glu Glu Glu Phe Phe Asp Ala Val Thr Glu Ala Asn 10 cag aaa gic acg gga aig aii gac tia gac acc agc aaa aat aat 237 Gln Lys Val Thr Gly Met Ile Asp Leu Asp Thr Ser Lys Asn Asn 25 agg att ggg aaa act ggg gag agg ccc tct caa gag aac gga att 282 Arg Ile Gly Lys Thr Gly Glu Arg Pro Ser Gln Glu Asn Gly Ile 35 cag aaa cac agg aca icg cig ccg gci ccc aig iic agc aga agc 327 Gln Lys His Arg Thr Ser Leu Pro Ala Pro Met Phe Ser Arg Ser 50 gac ttc agc gtg tgg acc atc ctg aag aag tgt gtt ggc ctg gag 372 Asp Phe Ser Val Trp Thr Ile Leu Lys Lys Cys Val Gly Leu Glu 65 70 ctg tcc aag atc acg atg cca atc gcc ttc aac gag cct ctg agc 417 Leu Ser Lys Ile Thr Met Pro Ile Ala Phe Asn Glu Pro Leu Ser 8.5 tic tig cag cgg atc acg gag tac atg gag cac gtg tac ctc atc 462 Phe Leu Gln Arg Ile Thr Glu Tyr Met Glu His Val Tyr Leu Ile

100

105

cac	agg	gcc	t c c	1 g c	cag	ссс	cag	ссс	ctg	gag	agg	atg	cag	tct	507
His	Arg	Ala	Ser	Cys	Gln	Pro	Gln	Pro	Leu	Glu	Arg	Met	Gln	Ser	
				110					115					120	
gtg	gc1	gct	111	gc t	git	tcg	gct	gtg	gct	t c c	cag	tgg	gag	agg	5 5 2
Val	Ala	Ala	Phe	Ala	V a 1	Ser	Ala	V a 1	Ala	Ser	Gln	Trp	Glu	Arg	
				125					130					135	
асс	ggc	a a a	сса	t t t	a a t	сса	c t c	ttg	gga	gaa	acg	t a t	gaa	t t a	597
Thr	Gly	Lys	Pro	Phe	Asn	Pro	Leu	Leu	Gly	Glu	Thr	Tyr	Glu	Leu	
				140					145					150	
atc	agg	gaa	gat	t t a	gga	ttc	aga	tit	a t a	tcg	gaa	cag	g t c	agt	642
Ιle	Arg	Glu	Asp	Leu	Gly	Phe	Arg	Рħе	Ile	Ser	Glu	Gln	V a l	Ser	
				155					160					165	
сас	cac	ссс	ссс	a t c	agt	gcg	t t c	сас	tcg	gaa	ggt	c t c	a a c	cat	687
His	His	Pro	Pro	lle	Ser	Ala	Phe	His	Ser	Glu	Gly	Leu	Asn	His	
				170					175					180	
gac	t t c	ctg	t t c	cat	ggc	tcc	atc	tac	ссс	aag	ctc	aag	ttc	t g g	7 3 2
Asp	Phe	Leu	Phe	His	Gly	Ser	Ile	Туг	Pro	Lys	Leu	Lys	Phe	Trp	
				185					190					195	
										асс					777
Gly	Lys	Ser	V a l	Glu	Ala	Glu	Pro	Arg	Gly	Thr	Пlе	Thr	Leu		
				200					205					210	
_										acc					8 2 2
Leu	Leu	Lys	His	Asn	Glu	Ala	Туг	Thr	Trp	Thr	Asn	Pro	Thr		
				215					220					225	
_										tgg					867
Суs	V a l	His	Asn		Ile	Ile	Gly	Lys		Trp	Ile	Glu	Gln		
				230					235					240	0.0
										gga					912
Gly	Thr	Val	Glu		Leu	Asn	His	Arg		Gly	HIS	Lys	Cys		
				245					250					255	0.5.7
										aaa					957
Leu	His	Phe	Lys		Cys	Gly	Leu	Phe		Lys	GIU	Leu	HIS		
				260					265			- 4 -		270	1000
										aag					1002
Val	Glu	Gly	His		Gin	Asp	Lys	Asn		Lys	Lys	reu	rne		
				275					280				1	285	1047
										ggc					1047
lle	Туг	Gly	Lys		inr	Glu	Cys	ren		Gly	116	ASP	PTO		
		_	1 -	290					295		~~·		000	300	1009
										aga					1092
2 e r	lyr	GIU	2 e L		гяs	гяs	GIN	GIU		Arg	GIY	изр	1112	315	
			. -	305	m = 1				310	~	a a 4	a o o	2 ~ ^		1137
										aag					1131
Arg	ГЛS	Ala	ГЯS		ASP	GIU	аѕр	26 L		Lys	жіа	иsр	ser		
				320					325					330	

	wo	00/09	688											PC	T/JP99/04353
	_				cct Pro										1182
v a i	ніа	кор	изр	335	110	141	АІа	GII	340	1 11 1	141	GIII	Yai	345	
c c t	ggc	agc	aag	cig	ctc	t g g	agg	a t c	a a c	acc	cgg	ссс	ссс	aac	1227
Pro	Gly	Ser	Lys		Leu	Trp	Arg	Ile		Thr	Arg	Pro	Pro		
				350	aat		200	201	355		~ + ~			360	1979
	-	_	_		Asn							_			1272
50.		0		365			•		370				200	375	
gag	ctg	gag	a c a	ggc	atg	gag	aag	асс	ctg	сса	ссс	acg	gac	t g c	1317
Glu	Leu	Glu	Thr	Gly	Met	Glu	Lys	Thr	Leu	Pro	Pro	Thr	Asp	Суs	
				380					385					390	
_	-				atc										1362
Arg	ren	Arg	Pro	395	lle	Arg	Gly	mei	400	ASI	GIY	ASI	мет	405	
ctg	gcc	agc	cag		aag	gag	cgg	ctg		gag	aag	cag	aga		1407
-	-				Lys										
				410					415					420	
_		_	-		gcc										1 4 5 2
Ala	Arg	Arg	Glu		Ala	Lys	Glu	Glu		Glu	Trp	Gln	Thr		
				425					430	~~~			~~~	435	1 4 0 7
					a a t A s n									tgg Trn	1497
пр	Inc	1 9 1	110	440	71.511	11311	110	1,1	445	01,	1 11 1	110	мор	450	
ttg	t a t	gca	ggg	gat	tac	ttt	gag	cgg	aat	t t c	1 c c	gac	t g c	cca	1542
Leu	Туг	Ala	Gly	Asp	Туr	Phe	Glu	Arg	Asn	Phe	Ser	Asp	Суs	Pro	
				455					460					465	
gat			tga												1554
Asp		Туг 468													
		400													
gggc	ctgg	ag g	ggcc	tggg	g cc	cggg	accg	gag	gctg	acg	aggc	tgga	ct t	cctcgag	tg 1614
gcca	ttgt	ga g	cctc	gtca	c ag	caga	аасс	aac	tttt	cta	acga	ctga	gl 1	cgcggag	at 1674
agca	tcat	сс с	tgat	caag	gat	gtaa	ttct	aat	taac	tgt	tgat	tgcc	aa a	icatttca	ct 1734
ctgc	tgtg	cc g	tete	ttca	i aa	agct	tcac	ttg	ggat	cat	cgtc	ttca	ii a	aggittc	aa 1794
cagg	gaaa	tt c	ttca	cggc	g cc	cttt	tatg	l gg	caga	aat	cagc	tggg	gc t	tgtttag	ct 1854
tcca	gcac	ac 1	ctca	gtca	t ag	catg	tgta	gct	aaag	gaa	gtaa	t ggg	aa g	gggttca	tg 1914

ticiciliai aalgcagigg caaaaggiic igaaagccii liaaactcga accagigggg 1974

gaaagatgga tottgaagot aatootgoag agagttttat agaggooagg gattgootto 2034 taaattalga taaaacagaa gigaagagit tcagagcatc agattgagig aaaagitgic 2094 agaticigia tililiaaca aiciicaata aigtaaagai lactiilaaa atalilaagi 2154 taaaactact igaatagtat tilgcigaag agcaagatat gcattaatca ccggitttat 2214 actgiccaaa algaagcaic cccgigacaa accagagigg gcagaagcai cgagagcgig 2274 acaggaaatc ccaagacige ticegeetea gaggegteee ggetgegatt egetgeeetg 2334 itgicagiga ggcciggcig icaccgcaca ccgcgiccgi giciccaggg ggiicciiic 2394 ticicacacy icgcgigiae ceatageact citgigiite igittiteee agiaigealy 2454 tttaaaatag aagtgacaag aatcacatcc ggttgtgtcc tgtgggaggg tcagaggcag 2514 aatctactta cagiggigia attaaagita iitaaccaaa aataggiaig igiccatcic 2574 agcattcacc titalcaagi gactgattii titticitti cittectitt littititi 2634 tigagacgga gilicacici igilgcccag gciggagigc aalggcalga icicggcica 2694 ccgcaacctc cgcctcccgg gitcaagcga tictcctgcc tcagcctccc aagtagctgg 2754 gattacagge acgegecace acgeetgget gattitgtat tittagtaga caegggtitt 2814 caccatging gleaggeigg icicaaacte eegaceicaa glagicigee igeelcaace 2874 teccaaagtg etgggattae aggegtgage caetgegeet ggeegtgaet gattititti 2934 catglagaal igicaacacg agagatcaca giggagcact ilgaaagacc gicggiigig 2994 tgcacgcacg cacacactca tgcacacgct gacacgcggt tgcatggagt ccaggttact 3054 caggooggea citolgagig acaggigoca colgogigig toliggogio cacatoacac 3114 ctgtgacgga agcactictg gaagtgaaca ctcgttttga aagcttgatt ligtagctti 3174 ggaagctgga agcgatggtg titggtgccg agtcctgtgt catcctcggg gcctatgagc 3234 teegtaceag ceacteaaaa gigietgaae agaacegete egigaeiggi ageigggiei 3294 gaggaticag gailgiggcg tlaticaaag aggagactit gaaalicccc galggcigga 3354

aigiggagcc caggigccic iggiggaggg icaicigcii itccagacig iggiigiaa 3414
ccggciccii ciccaagaaa ggiigcaagc iagaacaicc agaggigaga cicagacaca 3474
iigaaagiga cigcaiiiag ggaggiilaa cgagiiciia cigaicaiic caciigiiac 3534
iggiiaagai aaiiigccca cgggiiigii iccaagicci ciiciaggac caggciccig 3594
giaiiicagg ggciggiigg cigcacagac agccccicii cigcigicci igaggacaga 3654
caccaaacca gaggiggagg aagaacggia ggaaggciga iggcaaaagc ggcigigi 3714
cgaggiiaii ilaaciiili aclaciiili giiacigiii cigcaaalgc iaacacalaa 3774
accaigacci aaciittigic acciiggala icialigaal giiaaacalc iciaalaaag 3834
atggccacca ciiaatgigi ggaaagigal ggcciicicg iggc 3879

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP99/04353

	SIFICATION OF SUBJECT MATTER C1 ⁶ C12N15/12,C07K14/47									
	I de marie and De de Character de marches de	viewal ale asiSa view and IDC								
According to International Patent Classification (IPC) or to both national classification and IPC										
Minimum d	B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) Int.Cl ⁶ C12N15/12, C07K14/47									
Documentat	Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched									
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WPI (DIALOG), BIOSIS (DIALOG), Genbank/DDBJ/EMBL/Geneseq, JICST (JOIS)										
C. DOCU	MENTS CONSIDERED TO BE RELEVANT									
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.							
PX	Takahiro N.et al. "Prediction of Unidentfied human Genes. XI. Th 100 New cDNA Clones from Brain Which in vitro." DNA Res. (1998, Nov.)	e Complete Sequences of ch Code for Large Proteins	1-2							
Y	Levanon, D. et al. "cDNA Cloning of Human Oxysterol-Binding Protein and Localization of the Gene to Human Chromosome 11 and Mouse Chromosome 19" GENOMICS (1990), Vol. 7, No. 1, p.65-74									
Y	Dawson.P.A.et al. "cDNA clone oxysterol-binding protein, an of leucine zipper" J.Biol.Chem. (1 Vol. 264, No. 28, p. 16798-1680	ligomer with a potential	1-2							
Y	Ohara,O.et al. "Construction and C Brain cDNA Libraries Suitable for Encoding Relatively Large Prote Vol. 4, No. 1, p. 53-59	r Analysis of cDNA Clones	1-2							
	er documents are listed in the continuation of Box C.	See patent family annex.								
"A" docum conside "E" earlier date "L" docum cited to special "O" docum means "P" docum than th	"A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "E" and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family									
	actual completion of the international search November, 1999 (08.11.99)	Date of mailing of the international sear 24 November, 1999 (2								
	nailing address of the ISA/	Authorized officer								

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP99/04353

			FC1/0F33/04333
(Continua	tion). DOCUMENTS CONSIDERED TO BE RELEV	/ANT	
Category*	Citation of document, with indication, where app		
Y	Ryuichiro Sato "Intracelluar li Arteriosclerosis (1996) vol. 24	pid carrier prote , Nos. 7/8, p. 34	in" 1-2 9-352

国際調査報告

A. 発明の属する分野の分類(国際特許分類(IPC))

Int. Cl⁶ C12N15/12, C07K14/47

B. 調査を行った分野

調査を行った最小限資料(国際特許分類(IPC))

Int. Cl⁶ C12N15/12, C07K14/47

最小限資料以外の資料で調査を行った分野に含まれるもの

国際調査で使用した電子データベース (データベースの名称、調査に使用した用語)

WPI (DIALOG), BIOSIS (DIALOG), Genbank/DDBJ/EMBL/Geneseq, JICSTファイル (JOIS)

<u>C</u> . 関連する	ると認められる文献	
引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	関連する 請求の範囲の番号
PX	Takahiro N. et al. "Prediction of the Coding Sequences of Unid entfied human Genes. XI. The Complete Sequences of 100 New c DNA Clones from Brain Which Code for Large Proteins in vitr o. "DNA Res. (1998, Nov.) 第5巻 p. 277-286	1-2
Y	Levanon, D. et al. "cDNA Cloning of Human Oxysterol-Binding Protein and Localization of the Gene to Human Chromosome 11 and Mouse Chromosome 19" GENOMICS (1990) 第7卷 第1号 p.65-74	1-2
Y	Dawson.P.A. et al. "cDNA cloning and expression of oxysterol-b inding protein, an oligomer with a potential leucine zipper" J. Biol. Chem. (1989) 第264巻 第28号 p. 16798-16803	1-2

|X| C欄の続きにも文献が列挙されている。

□ パテントファミリーに関する別紙を参照。

- * 引用文献のカテゴリー
- 「A」特に関連のある文献ではなく、一般的技術水準を示す もの
- 「E」国際出願日前の出願または特許であるが、国際出願日 以後に公表されたもの
- 「L」優先権主張に疑義を提起する文献又は他の文献の発行 日若しくは他の特別な理由を確立するために引用する 文献 (理由を付す)
- 「〇」口頭による開示、使用、展示等に言及する文献
- 「P」国際出願日前で、かつ優先権の主張の基礎となる出願

- の日の後に公表された文献
- 「T」国際出願日又は優先日後に公表された文献であって て出願と矛盾するものではなく、発明の原理又は理 論の理解のために引用するもの
- 「X」特に関連のある文献であって、当該文献のみで発明 の新規性又は進歩性がないと考えられるもの
- 「Y」特に関連のある文献であって、当該文献と他の1以 上の文献との、当業者にとって自明である組合せに よって進歩性がないと考えられるもの
- 「&」同一パテントファミリー文献

国際調査を完了した日 08.11.99 **24.11.99 24.11.99 24.11.99 3.11.99 24.11.99 24.11.99 24.11.99** 特許庁審査官 (権限のある職員) 4 N 9549 引地 進 郵便番号100-8915 東京都千代田区霞が関三丁目4番3号 電話番号 03-3581-1101 内線 3488

国際調査報告

国際出願番号 PCT/JP99/04353

	冯		
C (続き) .	関連すると認められる文献		
引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連するときに	は、その関連する箇所の表示	関連する 請求の範囲の番号
Y	Ohara, O. et al. "Construction and Charac ain cDNA Libraries Suitable for Analys ding Relatively Large Proteins" DNA Re p. 53-59	sis of cDNA Clones Enco	1-2
Y	佐藤隆一郎「細胞内脂質輸送蛋白」動脈硬号 p. 349-352	化(1996)第24巻 第7/8	1-2
	·		

- 1							
	·				4		
		a.					•
			û.				
						•	
				4			•
							•
			•				